


# BMR YIELDS

ARE STACKING UP



## Pioneer® brand BMR Corn Hybrid Advantage vs. Mycogen BMR Corn Hybrid Comparisons in 2015



Data is based on average of 2015 comparisons made in the Upper Midwest, Northeast U.S. and Southern Ontario through Oct 21, 2015. Comparisons are against Mycogen BMR products with similar maturity and DM content at harvest, unless otherwise stated, and within +/- 8 RM of the competitive brand. Product responses are variable and subject to any number of environmental, disease and pest pressures. Individual results may vary. Multi-year and multi-location data are a better predictor of future performance. DO NOT USE THIS OR ANY OTHER DATA FROM A LIMITED NUMBER OF TRIALS AS A SIGNIFICANT FACTOR IN PRODUCT SELECTION. Refer to [www.pioneer.com/products](http://www.pioneer.com/products) or contact a Pioneer sales representative or authorized dealer for the latest and complete listing of traits and scores for each Pioneer® brand product.

-The minor component of this blended product is not a Brown MidRib corn hybrid.  
All Pioneer products are hybrids unless designated with AM1, AM, AMT, AMRW, AMX and AMXT, in which case they are brands.

Silage CRM: Silage Comparative Relative Maturity. With no industry standard for silage maturity, comparing maturity and harvest moisture across various company's corn-for-silage hybrids can be difficult. Pioneer silage CRM ratings provide a relative comparison among Pioneer hybrids of rates at which hybrids reach harvestable whole plant moistures. It is on the same scale as the CRM rating provided for grain-corn hybrids and does not represent actual days from planting or emergence to harvest moisture or half milklime. Tons/Acre (35% DM): whole plant yield adjusted to 35% dry matter. % DM: percent dry matter of whole plant at harvest. % Starch: Percent starch (DM basis) in the whole plant. % Fib Dig (24-hr): percent degradable neutral detergent fiber (as a percent of total NDF, DM basis) in whole-plant samples in a 24-hour period.

Caution should be used when making hybrid decisions based on single/limited plot comparisons. A minimum of 20 side-by-side hybrid comparisons is required for valid yield and nutritional comparisons.



**AMX** - Optimum® AcreMax® Xtra Insect Protection system with YGCB, HXX, LL, RR2. Contains a single-bag integrated refuge solution for above- and below-ground insects. In EPA-designated cotton growing counties, a 20% separate corn borer refuge must be planted with Optimum AcreMax Xtra products. **YGCB,HXX,LL,RR2** (Optimum® Intrasect® Xtra) - Contains the YieldGard® Corn Borer gene and the Herculex XTRA genes for resistance to corn borer and corn rootworm. **HXX** - Herculex® XTRA contains the Herculex I and Herculex RW genes. **LL** - Contains the LibertyLink® gene for resistance to Liberty® herbicide. **YGCB** - The YieldGard® Corn Borer gene offers a high level of resistance to European corn borer, southwestern corn borer and southern cornstalk borer; moderate resistance to corn earworm and common stalk borer; and above average resistance to fall armyworm. **RR2** - Contains the Roundup Ready® Corn 2 trait that provides crop safety for over-the-top applications of labeled glyphosate herbicides when applied according to label directions. Herculex® XTRA Insect Protection technology by Dow AgroSciences and Pioneer Hi-Bred. Herculex® and the HX logo are registered trademarks of Dow AgroSciences LLC. YieldGard®, the YieldGard Corn Borer Design and Roundup Ready® are registered trademarks used under license from Monsanto Company. Liberty®, LibertyLink® and the Water Droplet Design are trademarks of Bayer.

PIONEER® brand products are provided subject to the terms and conditions of purchase which are part of the labeling and purchase documents. ®, ™, SM Trademarks and service marks of DuPont, Pioneer or their respective owners. © 2015 PHIL. 15-3315